



WAVE-15A

Order No.: 0259012

Price upon request

PRODUCTINFOS

Pure Entertainment!

The PA speaker systems of the WAVE series impress with a great sound and an attractive price. They are suitable for smaller to medium-sized function rooms and are the perfect starting equipment for entry-level DJs. The plastic cabinets of contemporary design are also lightweight and easy to use. Thus, they are ideally suited for mobile applications.

Active full range speaker system, 400 W

- Compact 15/2 full range bass-reflex system with plastic cabinet
- 38 cm (15") bass speaker and 25 mm (1") horn tweeter with 34 mm (1 3/8") voice coil
- Integrated MP3 player with USB/SD slot
- Integrated 5-band equalizer for sound adjustment
- Bluetooth receiver
- Infrared remote control
- Balanced mic input via XLR jack or 6.3 mm jack
- Line input via RCA jack or XLR jack
- 2-way tone control for treble and bass
- Mix out via XLR jack or 6.3 mm jack
- M8 threaded inserts for mounting support

- Stand sleeve

TECHNICAL SPECIFICATIONS

WAVE-15A

Active/passive	active
Transmission method	wireless/cable
Total output power	400 W
Power rating (RMS)	250 W
Frequency range	50-20,000 Hz
Input signal	250 mV/7 kΩ (line, XLR, bal.), 150 mV/16 kΩ (line, RCA), 9.5 mV/0.8 kΩ (mic, XLR, bal.), 9.5 mV/0.8 kΩ (mic, 6.3 mm jack)
System	15/2 full range bass-reflex
Bass speaker	38 cm (15") bass speaker
Tweeter	25 mm (1") horn tweeter
Number of speakers	2
Speaker size	38 cm (15")
Sensitivity	95 dB/W/m
Max. rated SPL	120 dB
Beam angle	H: 90°/V: 60°
Radiation angle, horizontal	90°
Radiation angle, vertical	60°
Housing material	plastic
Colour	black
Mounting device	M8 threaded inserts, stand sleeve
Admiss. ambient temp.	0-40 °C
Power supply	~ 230 V/50 Hz/410 VA
Dimensions	460 x 710 x 370 mm
Width	460 mm
Height	710 mm
Depth	380 mm
Weight	18.6 kg
Inputs	XLR or RCA L/R (line) XLR or 6.3 mm jack (mic)
Outputs	XLR, bal. (parallel line out)
Packing dimensions (W x H x L)	0.51 x 0.75 x 0.43 m

WAVE-15A

Gross weight 20.24 kg

Net weight 18.59 kg