

FL11275 **DAP FL112 - USB-C to 2 XLR/M**
3P 384 kHz / 32 bit - 0.75 m

384 kHz / 32 bit - 0.75 m

DAP

EAN: 8717748595423



The DAP FL112 is a professional-grade audio cable that delivers exceptional sound quality for USB-C devices. With two nickel-plated male XLR 3P connectors, it provides high-quality unbalanced XLR outputs, perfect for seamless audio connections. Its built-in 384 kHz / 32-bit DAC ensures pristine sound reproduction and is backwards compatible with lower sampling rates to provide support for older devices. It is ideal for use with computers, laptops, tablets, and mobile devices running Windows, macOS, iOS, or Android. Designed for convenience, the FL112 is highly flexible, allowing for easy use. It is available in different lengths to cater for different set-up requirements.

Important: Avoid using phantom power with this cable to prevent damage to its internal converter or your connected device. We recommend the use of an active or passive DI box.

Special features:

- High-quality 384 kHz / 32-bit DAC for superior audio performance
- Highly flexible for ease of use
- Available in different lengths

Specifications:

Electrical Specifications and Connections

Flashover Voltage	30 V
Connector 1	USB-C
Connector 2	XLR 3P Male
Cable Length	0.75 m
Pins	3
Outer Cable Diameter	5 mm

Mechanical Specifications

Weight	0.09 kg
Material	PVC
Colour	Black

Product Properties

Contact Type	Nickel plated
Conductors	6

Downloads:

Declaration

[FL11275_DoC_2026.pdf](#)